

**From:** [Thiesing, Mary](#)  
**To:** [Pongkhamsing, Chan](#)  
**Cc:** [Owens, Kim](#); [Chan, Agnes](#)  
**Subject:** FW: Got phone message - In DC  
**Date:** Monday, August 15, 2016 8:36:02 PM

---

Chan,

Lyndon called me the other night, and I was so buried with stuff to try and get completed prior to leaving on vacation that I got buried and didn't forward his concerns. It seems that he has heard that the areas we saw at P of T last year aren't doing as well this year. If you recall, last year was a drought; they had the foresight to irrigate the plantings to make sure they got established and it looks like they did a good job. However, in a more normal year, it may be wetter there than anticipated. I think an inspection might be prudent to check out conditions, since we don't know where they are, and we don't want to worry about rumors when we can check the facts on the ground.

Mary Anne

**From:** Lyndon C Lee [mailto:[lyndonclee@lcleeinc.com](mailto:lyndonclee@lcleeinc.com)]  
**Sent:** Monday, August 15, 2016 5:44 PM  
**To:** Kim Owens <(b) (6)>  
**Cc:** Thiesing, Mary <[Thiesing.Mary@epa.gov](mailto:Thiesing.Mary@epa.gov)>  
**Subject:** Got phone message - In DC

Hi Kim -

Got your phone message - thanks for RSVP.

Would like to relay concerns expressed to me ref. PO Tacoma - construction.  
Apparently some sites were way wetter than anticipated and landscaping component was difficult.

So not a big deal, but we should pay attention to final grades and what was actually planted and where.

In DC just now but if you want to talk further, please give me a call and we'll set it up.

FYI - I gave Mary Anne a heads up as well (too late at night - sorry about that - traveling a lot/its the height of a relatively busy time...).

--

Lyndon C. Lee, Ph.D., PWS  
Principal Ecologist & President  
L.C. Lee & Associates, Inc.  
2442 NW Market Street, #392  
Seattle, Washington 98107

Phone; 206.979.5633  
Email: [lyndon@lcleeinc.com](mailto:lyndon@lcleeinc.com)